

Anaemia

Definition: A reduction in the number of red blood cells per cu mm, the amount of hemoglobin in 100 ml of blood, and the volume of packed red blood cells per 100 ml of blood. Clinically, anemia represents a reduction in the oxygen-transporting capacity of a designated volume of blood, resulting from an imbalance between blood loss (through hemorrhage or hemolysis) and blood production. Signs and symptoms of anemia may include pallor of the skin and mucous membranes, shortness of breath, palpitations of the heart, soft systolic murmurs, lethargy, and fatigability.

Synonyms (terms occurring on more labels are shown first): anemia, anaemia, anemias, anaemias

More information: PubMed search (<http://www.ncbi.nlm.nih.gov/pubmed?term=%22Anaemia%22>) and possibly Wikipedia (<http://en.wikipedia.org/wiki/Special:Search?search=Anaemia>)

Show drugs with this side effect as MedDRA Preferred Term (/se/C0002871/pt)

Drugs with this side effect

- 2-hydroxysuccinaldehyde (/drugs/4474778/): postmarketing
- 4-PBA (/drugs/4775/): common
- 4-methylpyrazole (/drugs/3406/)
- 5-ASA (/drugs/4075/): postmarketing
- 5-FU (/drugs/3385/)
- 5-aminolevulinic acid (/drugs/137/)
- 5-aza-2'-deoxycytidine (/drugs/16886/): 22% - 81.9%
- 5-azacytidine (/drugs/1805/): very common, 2.3% - 69.5%
- 5-fluorocytosine (/drugs/3366/)
- 6-mercaptopurine (/drugs/667490/)
- ⁶⁸Ga (/drugs/105145/)
- A77 1726 (/drugs/54677977/)
- APAs (/drugs/4649/)
- Anidulafungin (/drugs/166548/): 7.31% - 16%
- BCNU (/drugs/2578/): 1-10%
- BPTI (/drugs/16130295/)
- Benicar-HCT (/drugs/9940864/)
- Bivalirudin (/drugs/16129704/): postmarketing
- CAS 76095-16-4 (/drugs/3222/)
- CAS 76420-72-9 (/drugs/443379/)
- CGP 19835A (/drugs/5479141/): very common
- Cancidas (/drugs/123623/): uncommon, 0% - 11%
- Carfilzomib (/drugs/11556711/): 1.33% - 46.8%
- D-penicillamine (/drugs/4727/)
- EDTA (/drugs/6049/)
- FAMP (/drugs/3368/)
- FK463 (/drugs/477468/): 2.5% - 51.2%
- FdUrd (/drugs/3363/)
- Fe(III) (/drugs/23925/)
- Forteo (/drugs/16129682/)
- Ge-132 (/drugs/83030/): 2%
- Glat copolymer (/drugs/65370/): infrequent
- Goserelin (/drugs/47725/): 0% - 1-10%
- Histrelin (/drugs/25077993/)
- ICI 182,780 (/drugs/104741/): 4.5% - 5%
- K779 (/drugs/71306834/): postmarketing, 0% - 35%
- L-Dmp (/drugs/206527/): infrequent
- LMWH (/drugs/772/): 0% - 16%
- LY146032 (/drugs/16129629/): postmarketing, common, 2.1% - 15.5%
- Leuprorelin (/drugs/3911/): 5%
- Lisinopril (/drugs/3937/): very rare, postmarketing
- Meropenem anhydrous (/drugs/64778/): 5.5%
- N-carbamylglutamate (/drugs/121396/)

Drugs with this indication

- leucovorin (/drugs/143/)
- pyridoxine (/drugs/1054/)
- methylprednisolone sodium succinate (/drugs/1875/)
- cyanocobalamin (/drugs/2891/)
- deferiprone (/drugs/2972/)
- deferoxamine (/drugs/2973/)
- dexamethasone (/drugs/3003/)
- folate (/drugs/3405/)
- cortisol (/drugs/3640/)
- lomustine (/drugs/3950/)
- methylprednisolone (/drugs/4159/)
- nandrolone decanoate (/drugs/4432/)
- oxymetholone (/drugs/4638/)
- prednisolone (/drugs/4894/)
- prednisone (/drugs/4900/)
- demethyl (/drugs/5877/)
- nandrolone (/drugs/9904/)
- metaxalone (/drugs/15459/)
- Goserelin (/drugs/47725/)
- eprosartan (/drugs/60878/)
- zoledronic acid (/drugs/68740/)
- cortisone (/drugs/222786/)
- 2-hydroxysuccinaldehyde (/drugs/4474778/)
- hydroxocobalamin (/drugs/4479097/)
- deferasirox (/drugs/5493381/)

- NSC 352122 (/drugs/54949/)
- Nuvocid (/drugs/16129632/)
- Octreotide (/drugs/54373/)
- PCI-32765 (/drugs/16126651/)
- PGE1 (/drugs/214/)
- Photofrin (/drugs/57166/): 28% - 32%
- Photofrin II (/drugs/3086257/)
- Promacta (/drugs/44564722/)
- Refludan (/drugs/16132441/): 1.1% - 13.1%
- Revasc (/drugs/16129703/): 0.676% - 6.39%
- Romidepsin (/drugs/3425/): 2.94% - 72.3%
- SOM230 (/drugs/9941444/): 4%
- SU5416 (/drugs/123015/)
- Signifor (/drugs/46181941/): 4%
- TMC435 (/drugs/16065945/): 11%
- TR-700 (/drugs/11234049/)
- Triptorelin (/drugs/25074470/): 1.4%
- UDCA (/drugs/5645/): postmarketing
- VACV (/drugs/5647/): 0% - 12%
- Vancocine (/drugs/5651/)
- ZnCl2 (/drugs/5727/)
- abacavir (/drugs/1971/)
- abacavir-lamivudine (/drugs/5273759/):
uncommon
- abiraterone (/drugs/132971/)
- acamprosate (/drugs/71158/): infrequent
- acetaminophen (/drugs/1983/): 2.7%
- acetohydroxamic acid (/drugs/1990/)
- actinomycin D (/drugs/2019/)
- acyclovir (/drugs/2022/): very rare
- adefovir dipivoxil (/drugs/60871/)
- alendronate (/drugs/2088/)
- aliskiren (/drugs/216209/)
- allopurinol (/drugs/2094/): postmarketing
- alpha-methyl-p-tyrosine (/drugs/3125/)
- alvimopan (/drugs/5488547/)
- ambrisentan (/drugs/197712/): postmarketing
- amikacin (/drugs/2142/)
- aminoglutethimide (/drugs/2145/)
- amoxicillin (/drugs/2171/): postmarketing
- amphotericin B (/drugs/1972/): 26.7% - 47.9%
- ampicillin (/drugs/2173/)
- amsacrine (/drugs/2179/): 1-10%
- anagrelide (/drugs/2182/): 1-5%
- anastrozole (/drugs/2187/): 3.65% - 5.14%
- anthracycline (/drugs/2958/)
- apixaban (/drugs/10182969/): common, 2.58% -
3.01%
- aprepitant (/drugs/151165/): 0% - 4.3%
- aripiprazole (/drugs/60795/)
- arsenic (/drugs/5359596/)
- arsenic trioxide (/drugs/14888/): common

- asenapine (/drugs/156326/)
- aspirin (/drugs/2244/)
- atorvastatin (/drugs/2250/)
- atovaquone (/drugs/74989/): 0% - 9%
- auranofin (/drugs/6333887/): postmarketing, 1.6% - 3.1%
- axitinib (/drugs/3086685/): 4%
- azathioprine (/drugs/2265/): uncommon
- azithromycin (/drugs/2269/)
- aztreonam (/drugs/2274/)
- baclofen (/drugs/2284/)
- balsalazide (/drugs/5362070/): 3.7%
- belinostat (/drugs/6918638/): 11% - 32%
- bendamustine (/drugs/65628/): 19%
- betaxolol (/drugs/2369/)
- bexarotene (/drugs/82146/): 5.95% - 24.5%
- bezafibrate (/drugs/39042/): 1.1%
- bicalutamide (/drugs/2375/): 7%
- bleomycin hydrochloride (/drugs/72466/)
- boceprevir (/drugs/10324367/): very common, 20% - 30%
- bortezomib (/drugs/93860/): 0% - 37%
- bosentan (/drugs/104865/): postmarketing, common, 8%
- bosutinib (/drugs/5328940/): 12.3% - 27.4%
- bromocresol green (/drugs/6451/)
- budesonide (/drugs/2462/)
- bupivacaine (/drugs/2474/): 8.17% - 12%
- bupropion (/drugs/444/): postmarketing, rare
- busulfan (/drugs/2478/)
- cabazitaxel (/drugs/9811221/): 5% - 97.3%
- candesartan (/drugs/2541/): postmarketing
- candesartan cilexetil (/drugs/2540/)
- capecitabine (/drugs/60953/): 1% - 83%
- captopril (/drugs/2550/)
- carbamazepine (/drugs/2554/): very rare
- carbenicillin (/drugs/2559/)
- carbidopa (/drugs/2563/)
- carboplatin (/drugs/38904/): 71% - 90%
- carnitine (/drugs/85/): 3% - 12%
- carvedilol (/drugs/2585/): 2% - 2.4%
- cefazolin (/drugs/2617/): postmarketing
- cefepime (/drugs/2622/): postmarketing
- cefoxitin (/drugs/2637/)
- cefpodoxime (/drugs/54547/)
- ceftaroline (/drugs/9810131/)
- ceftizoxime (/drugs/2655/)
- ceftobiprole (/drugs/6918430/)
- ceftriaxone (/drugs/2656/): 0.1 - 1.0%
- celecoxib (/drugs/2662/)
- cerivastatin (/drugs/2676/)
- cevimeline (/drugs/2684/)

- chlorambucil (/drugs/2708/)
- cidofovir (/drugs/60613/): postmarketing, 24.3%
- cilazapril (/drugs/2751/)
- cilostazol (/drugs/2754/)
- cinacalcet (/drugs/156418/): 5.88% - 17.2%
- ciprofloxacin (/drugs/2764/): postmarketing, rare
- cisplatin (/drugs/2767/)
- citalopram (/drugs/2771/): postmarketing, infrequent, uncommon
- cladribine (/drugs/1546/): very common, 1%
- clarithromycin (/drugs/54688/)
- clindamycin (/drugs/2786/)
- clobazam (/drugs/2789/): postmarketing
- clodronate (/drugs/25419/)
- clofarabine (/drugs/119182/): 75.4% - 83.3%
- clofazimine (/drugs/2794/)
- clomipramine (/drugs/2801/): 2%
- clonazepam (/drugs/2802/)
- clopidogrel (/drugs/2806/): very rare, postmarketing
- clozapine (/drugs/2818/)
- colchicine (/drugs/2833/): postmarketing
- colestyramine (/drugs/70695640/)
- conivaptan (/drugs/151171/)
- copolymer 1 (/drugs/3081884/)
- copper (/drugs/23978/)
- crizotinib (/drugs/11597571/)
- cyclophosphamide (/drugs/2907/)
- cyproterone (/drugs/3015/)
- cyproterone acetate (/drugs/2914/)
- cysteamine (/drugs/6058/)
- cytarabine (/drugs/596/): 1% - 18.2%
- d-telaprevir (/drugs/3010818/): 17%
- dabigatran etexilate (/drugs/213023/)
- dabrafenib (/drugs/44462760/): 0% - 55%
- dalbavancin (/drugs/44567678/)
- dalteparin (/drugs/9812414/): 0% - 1.34%
- dantrolene (/drugs/2951/)
- darunavir (/drugs/213039/)
- dasatinib (/drugs/3062316/): 3% - 75%
- deferasirox (/drugs/5493381/): postmarketing
- degarelix (/drugs/16136245/)
- delamanid (/drugs/6477186/)
- delavirdine (/drugs/5625/)
- deprenyl (/drugs/5195/): infrequent, 0%
- dexmedetomidine (/drugs/60612/): postmarketing, 2% - 3%
- dexrazoxane (/drugs/30623/)
- diatrizoate (/drugs/2140/)
- diazepam (/drugs/3016/)
- diclofenac (/drugs/3032/): very rare
- dicloxacillin (/drugs/3040/)

- didanosine (/drugs/3043/): postmarketing
- dipyridamole (/drugs/3108/)
- docetaxel (/drugs/3143/): 1% - 96.8%
- dolasetron (/drugs/3148/)
- donepezil (/drugs/3152/): infrequent, frequent
- doripenem (/drugs/73303/): 1% - 10%
- doxepin (/drugs/3158/): infrequent
- doxercalciferol (/drugs/4479094/)
- doxorubicin (/drugs/1690/): uncommon, very common, 0% - 72.2%
- doxycycline (/drugs/25880656/)
- duloxetine (/drugs/60834/): infrequent
- efavirenz (/drugs/3203/)
- eletriptan (/drugs/77993/): rare
- eltrombopag (/drugs/9846180/)
- emtricitabine (/drugs/60877/): postmarketing, uncommon, 7% - 9.5%
- eplerenone (/drugs/150310/)
- eribulin (/drugs/6331630/): 2% - 58%
- ertapenem (/drugs/150610/): 5.7% - 6.9%
- eslicarbazepine acetate (/drugs/179344/)
- esomeprazole magnesium (/drugs/130564/)
- estramustine phosphate (/drugs/3268/)
- etidronate (/drugs/3305/)
- etodolac (/drugs/3308/)
- etoposide (/drugs/3310/): 0 to 33 - 72%
- etoposide phosphate (/drugs/60668/)
- etoricoxib (/drugs/123619/)
- etravirine (/drugs/193962/)
- everolimus (/drugs/6442177/): common, very common, 0% - 61%
- ezetimibe (/drugs/150311/)
- famciclovir (/drugs/3324/): 0.1%
- famotidine (/drugs/3325/)
- febuxostat (/drugs/134018/)
- felbamate (/drugs/3331/)
- felodipine (/drugs/3333/)
- fenofibrate (/drugs/3339/): postmarketing
- fenofibric acid (/drugs/64929/): postmarketing
- fentanyl (/drugs/3345/): common, 9.09% - 31.6%
- fidaxomicin (/drugs/6440191/): 2% - 2.48%
- flucloxacillin (/drugs/3364/)
- fluconazole (/drugs/3365/)
- fludarabine (/drugs/3367/)
- fluoxetine (/drugs/3386/): infrequent
- flurbiprofen (/drugs/3394/)
- flutamide (/drugs/3397/)
- fluvoxamine (/drugs/3404/): rare, infrequent
- fondaparinux (/drugs/123611/): uncommon, common, 0.272% - 19.6%
- fosaprepitant (/drugs/219090/)

- fosaprepitant dimeglumine (/drugs/6918366/): 0% - 4.3%
- foscarnet (/drugs/3414/): 0.14% - 15%
- fosinopril (/drugs/3419/)
- fosinoprilat (/drugs/62956/)
- fosphenytoin (/drugs/56338/): infrequent
- fotemustine (/drugs/104799/)
- furosemide (/drugs/3440/)
- fusidic acid (/drugs/3443/)
- gabapentin (/drugs/3446/): postmarketing, infrequent
- gadobenate dimeglumine (/drugs/197281/)
- galantamine (/drugs/3449/): 3%
- ganciclovir (/drugs/3454/): 16.8% - 19.7%
- gefitinib (/drugs/123631/)
- gemcitabine (/drugs/3461/): very common, 0% - 86%
- gemfibrozil (/drugs/3463/)
- gemifloxacin (/drugs/72938/)
- gentamicin (/drugs/3467/)
- glibenclamide (/drugs/3488/)
- gliclazide (/drugs/3475/)
- glimepiride (/drugs/3476/)
- granisetron (/drugs/3510/): 4% - 9.4%
- guanidinium (/drugs/3520/)
- haloperidol (/drugs/3559/)
- hetastarch (/drugs/24846132/): postmarketing
- hexamethylmelamine (/drugs/2123/)
- histamine (/drugs/774/)
- hydralazine (/drugs/3637/): uncommon
- hydrochlorothiazide (/drugs/3639/)
- hydroxybutyrate (/drugs/10413/)
- hydroxychloroquine (/drugs/3652/)
- hydroxyurea (/drugs/3657/): common
- ibandronate (/drugs/60852/)
- ibuprofen (/drugs/3672/): 2.3% - 16.7%
- icodextrin (/drugs/3517/)
- idarubicin (/drugs/3685/)
- ifosfamide (/drugs/3690/)
- iloperidone (/drugs/71360/)
- imatinib (/drugs/5291/): postmarketing, very common, 0% - 42%
- indacaterol (/drugs/6433117/)
- indapamide (/drugs/3702/): postmarketing
- indinavir (/drugs/3706/): 0.6% - 2.1%
- indomethacin (/drugs/3715/)
- iodide (/drugs/24841/)
- irbesartan (/drugs/3749/): rare
- irbesartan-hydrochlorothiazide (/drugs/9831761/)
- irinotecan (/drugs/3750/): 2.1% - 98.6%
- isosorbide-5-mononitrate (/drugs/27661/)
- isradipine (/drugs/3784/)

- ivermectin (/drugs/6435110/)
- ixabepilone (/drugs/6445540/): 1% - 8%
- ketoprofen (/drugs/3825/)
- ketorolac (/drugs/3826/)
- ketorolac tromethamine (/drugs/84003/)
- lacosamide (/drugs/219078/)
- lamivudine (/drugs/3877/): postmarketing, uncommon, 1% - 4%
- lamotrigine (/drugs/3878/): rare, infrequent
- lanreotide (/drugs/71348/): 3.45% - 14.8%
- lansoprazole (/drugs/3883/)
- lapatinib (/drugs/208908/): 0% - 10%
- lasofoxifene (/drugs/216416/): uncommon
- leflunomide (/drugs/3899/): uncommon
- lenalidomide (/drugs/216326/): postmarketing, common, 6.1% - 31.4%
- lercanidipine (/drugs/65866/): uncommon
- leuprorelin acetate (/drugs/6850791/)
- levodopa/carbidopa (/drugs/104778/)
- levonorgestrel (/drugs/4542/)
- linezolid (/drugs/3929/): postmarketing, 0% - 7.1%
- lithium carbonate (/drugs/11125/)
- lomefloxacin (/drugs/3948/)
- lomitapide (/drugs/9853053/)
- losartan (/drugs/3961/): postmarketing, 14%
- lurasidone (/drugs/213046/): infrequent
- mTHPC (/drugs/60751/): common
- macitentan (/drugs/16004692/): 13%
- maraviroc (/drugs/483407/)
- medroxyprogesterone (/drugs/10631/): postmarketing
- medroxyprogesterone acetate (/drugs/4042/): postmarketing
- mefenamic acid (/drugs/4044/)
- megestrol (/drugs/19090/): 0% - 5%
- meloxicam (/drugs/4051/): 0% - 4.1%
- melphalan (/drugs/4053/): very common
- memantine (/drugs/4054/): frequent
- mephenytoin (/drugs/4060/)
- meropenem (/drugs/60706/): 5.5%
- mesna (/drugs/598/)
- methotrexate (/drugs/4112/)
- methylphenidate (/drugs/4158/): very rare, postmarketing
- metolazone (/drugs/4170/)
- mianserin (/drugs/4184/)
- miconazole (/drugs/4189/): 1.7% - 2.8%
- mirtazapine (/drugs/4205/): postmarketing, rare
- misoprostol (/drugs/42955/): postmarketing
- mitomycin C (/drugs/5746/)
- mitotane (/drugs/4211/)

- mitoxantrone (/drugs/4212/): 6% - 5-75%
- modafinil (/drugs/4236/)
- morphine (/drugs/4253/): 2%
- moxifloxacin (/drugs/4259/)
- mycophenolate mofetil (/drugs/4271/): 3.4% - 53%
- mycophenolic acid (/drugs/4272/): 21.6% - 53%
- nabilone (/drugs/39860/)
- nabumetone (/drugs/4409/): postmarketing, 0.5%
- naproxen (/drugs/1301/)
- naratriptan (/drugs/4440/): rare
- nefazodone (/drugs/4449/): infrequent
- nelarabine (/drugs/96312/): 10% - 99%
- nelfinavir (/drugs/4451/): 0% - 2.56%
- nevirapine (/drugs/4463/): postmarketing, uncommon, 7% - 7.3%
- nifedipine (/drugs/4485/)
- nilotinib (/drugs/644241/): common, 4% - 27%
- nilutamide (/drugs/4493/)
- nimodipine (/drugs/4497/)
- nisoldipine (/drugs/4499/)
- nitazoxanide (/drugs/41684/)
- nitrofurantoin (/drugs/4509/)
- nizatidine (/drugs/4513/)
- ofatumumab (/drugs/5488383/): 5% - 17%
- ofloxacin (/drugs/4583/): postmarketing
- olanzapine (/drugs/4585/): infrequent
- olmesartan (/drugs/158781/)
- olsalazine (/drugs/5462337/)
- omeprazole (/drugs/4594/): postmarketing
- oseltamivir (/drugs/4603/)
- oxaliplatin (/drugs/4609/): very common, 0.1% - 85.2%
- oxaprozin (/drugs/4614/)
- oxycodone (/drugs/4635/)
- paclitaxel (/drugs/4666/): uncommon, very common, 4% - 97%
- paliperidone (/drugs/115237/)
- palonosetron (/drugs/148211/)
- pamidronate (/drugs/4673/): postmarketing, common, 0% - 47.8%
- pantoprazole (/drugs/4679/): rare
- paricalcitol (/drugs/77996/)
- paroxetine (/drugs/4691/): infrequent, uncommon
- pazopanib (/drugs/10113978/)
- pemetrexed (/drugs/60843/): 0% - 33%
- penciclovir (/drugs/4725/): 0.1%
- pentamidine (/drugs/4735/)
- pentastarch (/drugs/16213095/)
- pentosan polysulfate (/drugs/37720/)
- pentostatin (/drugs/4739/): 5% - 35%
- pentoxifylline (/drugs/4740/)

- pergolide (/drugs/4745/): frequent, 1.1%
- perindopril (/drugs/60184/)
- perindopril erbumine (/drugs/60183/):
postmarketing
- perindoprilat (/drugs/72022/): postmarketing
- phenylbutyric acid (/drugs/7012/): 9%
- phenytoin (/drugs/1775/): infrequent
- pimoziide (/drugs/16362/): postmarketing
- pioglitazone (/drugs/4829/)
- piperacillin (/drugs/4834/)
- piroxicam (/drugs/23690938/)
- pixantrone (/drugs/134019/)
- pomalidomide (/drugs/134780/): 20.5% - 45.7%
- ponatinib (/drugs/24826799/): 9% - 55%
- posaconazole (/drugs/147912/): 1.91% - 14.2%
- pralatrexate (/drugs/148121/)
- pramipexole (/drugs/4885/)
- prasugrel (/drugs/6918456/)
- pravastatin (/drugs/4889/): postmarketing
- prednisone (/drugs/4900/)
- pregabalin (/drugs/125889/): infrequent
- primidone (/drugs/4909/)
- probenecid (/drugs/4911/)
- procarbazine (/drugs/4915/)
- progesterone (/drugs/4920/)
- propafenone (/drugs/4932/): postmarketing
- prostacyclin (/drugs/159/): postmarketing
- quetiapine (/drugs/5002/): infrequent
- rabeprazole (/drugs/5029/)
- radium (/drugs/6328144/): 2% - 93%
- raltegravir (/drugs/23668479/)
- raltitrexed (/drugs/104758/): 12-19%
- ranitidine (/drugs/5039/)
- rapamycin (/drugs/5040/): very common, 21% - 37%
- rasagiline (/drugs/122316/)
- rasburicase (/drugs/102258/)
- reboxetine (/drugs/65856/)
- regorafenib (/drugs/11167602/): 79%
- remifentanyl (/drugs/60814/): 0% - 2.84%
- retinoic acid (/drugs/5538/): postmarketing
- ribavirin (/drugs/5064/): common, very common, 0.6-0.8% - 35%
- rifabutin (/drugs/5361912/): 6%
- rifampicin (/drugs/5381226/)
- rifapentine (/drugs/6323497/)
- rifaximin (/drugs/72111/): 7.86%
- riluzole (/drugs/5070/): infrequent
- riociguat (/drugs/11304743/): 7%
- risedronate (/drugs/5245/)
- risperidone (/drugs/5073/): infrequent, 0.1% - 1%
- ritonavir (/drugs/5076/): 4%

- rivaroxaban (/drugs/6433119/)
- rivastigmine (/drugs/5077/): frequent
- ropinirole (/drugs/5095/): infrequent, 2%
- ropivacaine (/drugs/71273/): 0.2% - 13.8%
- rosiglitazone (/drugs/77998/): common, 7.1%
- rufinamide (/drugs/129228/): frequent
- ruxolitinib (/drugs/17754772/): very common, 11% - 96.1%
- salmon calcitonin acetate (/drugs/16129616/)
- samarium (/drugs/23951/)
- saquinavir (/drugs/60787/): common
- sertraline (/drugs/5203/): rare
- sibutramine (/drugs/5210/)
- sildenafil (/drugs/5212/)
- simvastatin (/drugs/54454/): postmarketing
- sitaxsentan (/drugs/216235/): uncommon
- sodium cromoglycate (/drugs/2881/)
- sodium ferric gluconate (/drugs/11254352/)
- sofosbuvir (/drugs/25094462/): common, very common, 0% - 21%
- sorafenib (/drugs/216239/): postmarketing, common
- stavudine (/drugs/5155/): postmarketing, rare
- streptozotocin (/drugs/5300/)
- sulfasalazine (/drugs/5353980/)
- sulindac (/drugs/5352/)
- sumatriptan (/drugs/5358/): rare
- sunitinib (/drugs/3086686/): 2%
- tacrolimus (/drugs/5372/): common, 1% - 50%
- tamoxifen (/drugs/5376/): 3.65% - 5.14%
- telavancin (/drugs/3081362/): uncommon
- telithromycin (/drugs/73658/)
- telmisartan (/drugs/65999/): postmarketing, rare, uncommon
- temozolomide (/drugs/5394/): uncommon, common, 1% - 2%
- temsirolimus (/drugs/148191/)
- teniposide (/drugs/5396/): 88%
- tenofovir disoproxil fumarate (/drugs/119830/)
- tenoxicam (/drugs/51508717/)
- terbinafine (/drugs/5402/): postmarketing
- testosterone (/drugs/5408/): postmarketing, 2.47% - 2.5%
- thalidomide (/drugs/5426/): 0% - 14.5%
- thioridazine (/drugs/5452/): postmarketing
- thiotepa (/drugs/5453/)
- tiagabine (/drugs/5466/): infrequent
- tiaprofenic acid (/drugs/5468/)
- tigecycline (/drugs/54681041/): 4.2% - 6%
- tiopronin (/drugs/5483/)
- tipranavir (/drugs/163296/): uncommon, 0% - 2.3%

- tizanidine (/drugs/5487/): infrequent
- tobramycin (/drugs/5496/)
- tofacitinib (/drugs/9818231/)
- tolcapone (/drugs/4659569/): infrequent
- topiramate (/drugs/5514/): frequent, 0.8% - 3%
- topotecan (/drugs/5515/): very common, 1.9% - 98%
- trabectedin (/drugs/3199/)
- tramadol (/drugs/5523/): postmarketing, uncommon
- trametinib (/drugs/11707110/): 0% - 55%
- trandolapril (/drugs/5525/)
- tranexamic acid (/drugs/5526/): 5.6%
- tranylcypromine (/drugs/5530/)
- trazodone (/drugs/5533/)
- treprostinil (/drugs/54786/)
- trimetrexate (/drugs/5582/): 0% - 15.3%
- troglitazone (/drugs/5591/): postmarketing
- trovafloxacin (/drugs/62959/)
- v 1784 (/drugs/2909/): postmarketing, uncommon, common
- valdecoxib (/drugs/119607/)
- valganciclovir (/drugs/64147/): 8% - 26%
- valproate (/drugs/3121/): postmarketing
- valrubicin (/drugs/41744/)
- varenicline (/drugs/170361/): infrequent
- venlafaxine (/drugs/5656/): infrequent
- verteporfin (/drugs/5362420/)
- vigabatrin (/drugs/5665/): common
- vinblastine (/drugs/13342/)
- vincristine (/drugs/5978/): 16.9% - 34%
- vinflunine (/drugs/157688/)
- vinorelbine (/drugs/5672/): 1% - 87%
- vitamin D2 (/drugs/3249/)
- vorapaxar (/drugs/10028615/): 5%
- voriconazole (/drugs/71616/): common, 0% - 2.7%
- vorinostat (/drugs/5311/)
- warfarin (/drugs/5001396/)
- zalcitabine (/drugs/5718/)
- zaleplon (/drugs/5719/): infrequent
- zidovudine (/drugs/5726/): common, 1% - 2%
- zidovudine/lamivudine (/drugs/160352/)
- ziprasidone (/drugs/60853/): infrequent
- zoledronic acid (/drugs/68740/): postmarketing, common, 4.4% - 22%
- zolpidem (/drugs/5732/): rare
- zonisamide (/drugs/5734/): infrequent
- zopiclone (/drugs/5735/): infrequent

License: Except as otherwise noted, this work is licensed under a Creative Commons Attribution-Noncommercial-Share Alike 4.0 License (<http://creativecommons.org/licenses/by-nc-sa/4.0/>). For commercial use or customized versions, please contact biobyte solutions GmbH (<http://www.biobyte.de>).

Disclaimer: The content of this database of side effects (adverse drug reactions) is intended for educational and scientific research purposes only. It is not intended as a substitute for professional medical advice, diagnosis or treatment.